

Floor roller WBR

Material flow in a tugger train



Floor roller WBR

The transporter and order picking trolley in one

- > *Hitch enables train transport*
- > *Loading area adapted to dimensions of Euro containers*
- > *Can be stacked to save space*



WBR 1
600 x 400 mm



WBR 2
800 x 400 mm



WBR 3
800 x 600 mm

Standard equipment: Support surface made of mesh grate. Coupling drawbar for coupling of multiple floor rollers.

Castor wheels: 2 fixed and 2 swivel castors, elastic tread, blue.

Finish: High-gloss galvanised and chrome-plated.

Hitch

Up to six floor rollers can be connected to one another in a train. The chassis is also available without the coupling and drawbar.



Can be stacked to save space

Up to ten floor rollers can be stacked together in opposing directions.



Euro standard boxes

The loading areas of the floor rollers are adapted for transporting Euro standard boxes.



Optional design

Side sections (optional)

The **side sections** are attached to the chassis using adapter plates. A fixed pole or screwed-in shelf ensures additional stability.



Wire shelves (optional)

Attachable or screw-in wire shelves are available as an accessory to the side sections.



Writing board (optional)

The **coated metal board** is attached to the side section and can be written on using chalk.



Wire tray (optional)

Thanks to the **narrow mesh size** of 5 x 5 mm, your small items are safe here.



	WBR 1	WBR 2	WBR 3
<p>Design with side sections:</p>			
Basic model Prod.No.	06.64 810.50-V001	06.64 820. 50-V001	06.64 830.50-V001
A, length (mm)	600	800	800
B, width (mm)	400	400	600
C, height (mm)	147	147	147
Castor wheels Ø (mm)	100	100	100
Max. loading capacity per floor roller while standing (kg)	150	150	150
Max. loading capacity per floor roller in train (kg)	100	100	100
Max. loading capacity in train, total (kg)	600	600	600
Weight (kg)	7.8	9.5	10.5
Max. permissible number of stacked floor rollers	10	10	10
Accessories			
Side sections W x H mm, mesh size x mm	77.81 463.50-0000	77.81 463.50-0000	77.81 576.50-0000
Adapter plates (set) For assembly of side sections on the chassis	77.02 928.50-0000	77.02 928.50-0000	77.02 928.50-0000
Fixed pole To stabilise the side panels	77.81 689.50-0000	77.81 802.50-0000	77.81 802.50-0000
Wire shelf, attachable	77.81 915.50-0000	77.82 028.50-0000	77.82 141.50-0000
Wire shelf, screw-in	77.82 254.50-0000	77.82 367.50-0000	77.82 480.50-0000
Writing board 125 x 150 mm, coated metal board in jet black, matt	77.56 264.95-9098	77.56 264.95-9098	77.56 264.95-9098
Writing board, attachable Adjustable angle, with clamping strip for formats up to DIN A4	00.50 007.95-0000	00.50 007.95-0000	00.50 007.95-0000
Wire tray for small items W 235 x D 170 x H 135 mm, mesh size 5 x 5 mm, plastic coating in RAL 9005 jet black	00.14 378.76-9005	00.14 378.76-9005	00.14 378.76-9005

GERMANY

Wanzl Metallwarenfabrik GmbH
Rudolf-Wanzl-Straße 4
89340 Leipheim

Phone +49 (0) 8221 / 729-0
Fax +49 (0) 8221 / 729-1000

info@wanzl.de
www.wanzl.com

GREAT BRITAIN

Wanzl Ltd.
Europa House
Heathcote Lane
Warwick CV34 6SP

Phone +44 (0) 1926 / 45 1951
Fax +44 (0) 1926 / 45 1952

enquiries@wanzl.co.uk
www.wanzl.co.uk

AUSTRALIA

Wanzl Australia Pty. Ltd.
97 Highbury Road
BURWOOD VIC 3125

Phone +61 (0) 3 / 98 08 22 99
Fax +61 (0) 3 / 98 08 22 66

info@wanzl.com.au
www.wanzl.com.au