

AFWC AFWD

AFWC AND AFWD SERIES "BENCH/FLOOR" MULTIFUNCTION SCALE



Versatile bench or floor scale with attached column, for control and production. Pieces counting, weight control, and totalisation function. Available also CE-M APPROVED for legal for trade use.

Working in cooperation with:

MELTON ABW OU

ODULI-KUREALLIKA KUPU KULA - 74610 - KUUSALU VALD HARJUMAA
Tel. 00372-6205051 Fax. 00372-6505052
melton@melton.ee

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Backlit LCD display with 6 digits 24mm high, easily visible from all angles with adjustable inclination.
- Membrane waterproof keypad with 7 keys and acoustic feedback.
- ABS case and indicator support column.
- Stainless steel plate, size:
 - C model 350x450mm;
 - D model 420x520mm.
- Built-in rechargeable battery (about 70h battery life) and 230Vac power adapter.
- Overall height from ground with indicator and column:
 - C model 860mm;
 - D model 920mm.
- Packaging:
 - C model: 780 x 500 x 220 mm size - approximate weight of 15,5kg;
 - D model: 970 x 600 x 230 mm size - approximate weight of 17kg.
- Master Pack:
 - C model: 2 x (780 x 500 x 220)mm size - 2 x approximate weight of 15,5kg;
 - D model: 2 x (970 x 600 x 230)mm size - 2 x approximate weight of 17kg.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate;
 - 3000e CE-M approval.

FUNCTIONS

- counting;
- weight check, with 2 thresholds and acoustic alarm;
- weight totalisation, in loading or in unloading;
- unit conversion: kg, g, lb, oz;
- weighing filter selection;
- setting range of auto-zero at the switch-on;
- zeroing;
- zero tracking;
- semi-automatic tare;
- digital calibration;
- backlight command;
- low battery warning.

COUNTING FEATURES

- Internal sensitivity, minimum recommended APW, and minimum sampling weight:

Model	AFWC30	AFWC60 AFWD60	AFWC150 AFWD150	AFWD300
Internal sensitivity g	0,1	0,2	0,5	1
Min. recommended APW g	0,5	1	2	5
Min. sampling weight g	200	400	1000	2000

VERSIONS

Versioni disponibili

Codice	Max (kg)	d (g)	M (g)*
AFWC30	30	10	10
AFWC60	60	20	20
AFWC150	150	50	50
AFWD60	60	20	20
AFWD150	150	50	50
AFWD300	300	100	100

(*) Divisioni CE-M ottenibili solo con le relative opzioni.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



MELTON ABW OU

ODULI-KUREALLIKA KUPU KULA - 74610 - KUUSALU VALD HARJUMAA

Tel. 00372-6205051 Fax. 00372-6505052

melton@melton.ee

SALES AND TECHNICAL ASSISTANCE SERVICE